



Royal Grip

*To Protect Your Home
From Dampness*



Perfect Solution For :

- ◆ Water Proofing
- ◆ Paints
- ◆ Construction Chemical
- ◆ Heat Protective





INDEX

Product Name	Page No.	Product Name	Page No.
LW-501	03	TILE GROUT - 2 PART (EPOXY)	11
PROMIX 510/511	03	ACRYSHIELD +	12
ROYAL CRETE GOLD 2K	04	R-TEX +	12
DRIPGUARD	04	CRACK FILL	13
DRIPGUARD WHITE MEMBRANE	05	ROYAL SEAL +	13
DRIPGUARD BLACK MEMBRANE	05	TAP CLEANER & STAIN REMOVER	14
DRIP GUARD PU	06	CHIMNEY - CLEANER	14
HYDRO COAT	06	ADVANCE TILE CLEANER	15
RAIN COVER	07	GROUT & CEMENT CLEANER	15
WALL EX TWO PART WATER PROOFING	07	BLOCK ADHESIVE	16
ROYAL WOOD +	08	R FIX 2 PART EPOXY	16
ROYAL GLUE	08	FIBER GLASS MESH	17
ROYAL PRIME	09	HARDENER-339	17
ROYAL GLOSS	09	FOUNDATION GROUT	18
DURA WALL	10	INJECTION GROUT EPOX	18
MASTER WALL PUTTY	10	PROTECTO	19
TILE GROUT 3 PART (EPOXY)	11		



LW-501

USE :

Use cement mortar, cement plaster & cement concrete

BENEFITS :

- Increases strength
- Improves work ability
- Reduction in corrosion of steel
- Makes cohesive concrete

APPLICATION PROCEDURE

Add 200gm in a 50kg cement bag

PACKING

200 ml, 1, 5, 10, 20, Ltr.

PROMIX 510/511

WATER PROOFING

USE:

- Liquid & effluent tanks, car deck and walk ways
- Repairs of plaster cracks more than 5 mm & in gaps developed between masonry and RCC
- members
- As a bond coat plaster to plaster, concrete-to-old concrete, plaster to concrete masonry to stone work etc.
- As bonding slurry coat for pin hole treatment on concrete surface & as repair mortar for overhead applications
- Waterproofing sunk, bathrooms, chajjas & lift pits, & balconies

PACKING

1, 5, 10, 20, 50, and 200 LTR





ROYAL CRETE GOLD 2K

USE :

- Water tanks, Swimming pools
- Roofs and terrace of all types of low & high rise building
- To re-face and even out variations in concrete and masonry surfaces
- To seal concrete masonry walls and bridges the shrinkage cracks which are static
- To provide a tough and durable coating which cannot be easily damaged or worn away

PACKING

3kg, 15kg & 30kg Set



DRIPGUARD

WATER PROOFING

USE :

- Building roofs / Terraces– Flat & slope
- RCC Structure
- Over existing cementitious waterproofing treatments like brick-bat coba & Concrete Screeds

ADVANTAGES :

- Film thickness – Provides higher dry film thickness of minimum 1 mm in three coat application Crack bridging – Good Bridges cracks
- Suitability - Can be used for flat as well as sloping roofs
- Easily Applicable – By Brush & Roller

PACKING

1, 4 & 20 kg Pack





DRIPGUARD WHITE MEMBRANE

USE :

- Building roofs / Terraces–
- Flat & slope
- RCC Structure
- Masonry Walls

ADVANTAGES :

- High Film thickness
- Crack bridging Property
- U.V.Resistance
- Long Lasting
- Breath ability

PACKING

1, 4, 10, 20 kg



DRIPGUARD BLACK MEMBRANE

WATER PROOFING

USE :

- Bathroom, Sunks, Water Tank, Retaining walls, Lift pits

ADVANTAGES :

- Single component
- Easy to apply, Cost effective
- Quick drying
- Excellent Adhesion strength

PACKING

1, 4, 10, 20 kg





DRIP GUARD PU POLY-URETHANE

USE :

- Roofs, balconies, terraces and verandas, wet area in bathroom, kitchen, balconies, auxiliary rooms, etc.
- Green roofs, flowerbeds, planter boxes
- Waterproofing and protection of concrete construction like bridge-decks, tunnels, stadium stands etc.
- Applied on any surface like Metal, Wood, Cement Sheet, Corrugated Galvanized, RCC etc.

PACKING

1, 4, 10, 20 kg.



HYDRO COAT

WATER PROOFING

USE :

- HYDRO COAT is a transparent acrylic U.V. resistance that provides resistance to weathering, low foot traffic, and offers waterproofing properties. Typical applications include a clear acrylic base for china mosaic tiles & Decorative stone. (Enhancer)

PACKING

1, 5, 25 Kg





RAIN COVER

WEATHER PROOF EXTERIOR EMULSION

BENEFITS :

- Excellent Heat Reflection
- Reduces Room Temperature
- Protect from Rain Water Leakages

Use As :

Concrete, Metal, Wood Surface

COVERAGE : 15sq.ft./ 3 coats/Ltr.
on smooth surface condition.

PACKING

1, 4, 10, 20 kg.



WALL EX TWO PART

All previous coating should be completely removed before the application of **WALL-X**. When used on an exterior surface, it must be over coated by weather durable coatings. Avoid application before 10° C surface temperatures. At low temperature, drying and curing period will be prolonged. Before mixing both the parts mix them in individual containers.

FEATURES/ADVANTAGES

- Penetrates well into the substrates
- Seals porosity & network offine cracks
- Reduces water permeability
- Bonds strongly to all building materials
- Withstands positive waterpressure
- Can be applied on damp surface
- Water dilutable & non-toxic coating

APPLICATION AREAS

- Water tanks
- Can be used in damp walls, undercoat primer before Wall-X / Tar-o-Thane application on roof & walls
- Hatcheries & aqua farms

PACKING :- 1,5 kg. Set

WATER PROOFING





ROYAL WOOD +

WOOD WATER PROOFING

ABOUT THIS ITEM

- Polymer based plywood coating it can be used for existing furniture as well
- DIY Easy application with brush
- Saves hassles of other options like lamination or bison paneling
- 100 sq ft per litre coverage for 2 coats 100 percent water resistance in 2 coats
- Cost effective upto 5 times cheaper than other alternatives

HOW TO USE :

- Clean the surface free from dust
- Apply first coat and wait for 10 mins to dry
- Apply second coat and wait for 10 mins to dry
- Once complete drying, affix the furniture to the wall

PACKING : 500g., 1 kg.



Royal Grip

ROYAL GLUE

INDIAN SELF TRANSPARENT WATERPROOF ADHESIVE

- The Gap Between The Toilet & The Floor
- Exterior Wall Cracks
- The Gap Between The Bathroom & The Floor
- Windor Gap ■ Roof Gap ■ Tile Gap

HOW TO USE :

- Clean the construction surface to ensure that the surface is free of moisture
- Apply the Product directly to the construction area with a brush
- Wait for 24 hours to dry and do not touch water during this period
- The waterproof layer can be formed after curing for a period of time

PACKING : 500g., 1 kg.



PAINTS



Royal Grip

contact@royalgrip.in
 royalgrip.in

ROYAL PRIME

WATER PROOF INTERIOR-EXTERIOR PRIMER



ADVANTAGES

- Water Proof Base Coat (Primer)
- Rubber-Like Finish
- 100% Elastomeric
- Horizontal or Vertical
- Adhesion on various substrates
- Many Waterproofing applications

PACKING

1,4,10,20 LTR.



Royal Grip

contact@royalgrip.in
 royalgrip.in

ROYAL GLOSS

PAINTS

WASHABLE SEMI - PLASTIC EMULSION

ROYAL GLOSS Wall Plastic Emulsion is a water based product crafted with acrylic copolymer emulsion, tailored for interior walls exclusively. It offers great value for money and delivers an elegant, long-lasting matte finish to interior surfaces.

PACKING

1,4,10, 20 Kg.



WALL
PUTTY



Royal Grip

✉ contact@royalgrip.in
🌐 royalgrip.in



DURA WALL

ACRYLIC LIQUID WALL PUTTY

- German Technology
- Best in Class Whiteness
- Excellent Adhesive Strength
- Cost Effective
- Water-based Putty



Coverage*

1 Coat

38-44 sq.ft/kg**

*Actual coverage may vary due to various factors like application process & surface roughness.

PACKING : 5, 10, 20, 50 Kg.



Royal Grip

✉ contact@royalgrip.in
🌐 royalgrip.in

MASTER WALL PUTTY

WALL
PUTTY

FEATURE :

- Wall plaster ▪ Ceilings
- RCC surfaces ▪ Repair works
- Smoothing of walls for both indoor and outdoor
- Renders a smooth and durable surface
- Under layer for all kinds of decorative paints

ADVANTAGES

- Suitable for both Internal and external applications
- Water-resistant
- Excellent adhesion to host substrate
- Smooth finish ▪ Low water absorption
- Suitable for leveling prior to the application of oil based or water based coatings

PACKING : 20 & 40 Kg Bags



TILE GROUT 3 PART (EPOXY)



USE :

- Wall & Floor Tiles & Stone
- Laboratories
- Food processing plants
- Hospitals, Kitchen and swimming pools etc

ADVANTAGES:

- Easy for fast application
- Better durability
- Waterproof
- Can be used for interior
- Excellent resistance to acid and alkalis
- High bond strength to steel, concrete and tiles

PACKING

1 & 5 Kg PACK



TILE GROUT - 2 PART (EPOXY)

**TILE
GROUT**

USE :

- Wall & Floor Tiles & Stone
- Laboratories
- Food processing plants
- Hospitals, abattoirs
- Kitchen and swimming pools etc.

ADVANTAGES :

- Easy Application
- Better Durability
- Waterproof
- Can be used for both interior and exterior uses
- Excellent resistance to acid and alkalis

PACKING : 1 & 5 Kg PACK



PAINTS



Royal Grip

✉ contact@royalgrip.in
🌐 royalgrip.in

ACRYSHIELD +

INTERIOR ACRYLIC EMULSIONS



- Anti-Fungal & Anti-Algal Protection
- Smooth & Velvet Finish
- German Technology
- High Durability
- Superior Whiteness
- Stain Resistance
- ACRYSHIELD + Emulsion Provides best in class coverage along with butter like smooth finish. It's quality of easy washability prevent the walls from stains and gives you spot free walls.

PACKING : 1, 4, 10, 20 kg.



Royal Grip

✉ contact@royalgrip.in
🌐 royalgrip.in

R-TEX +

WALL TEXTURE

WALL
TEXTURES

- Wall Texture strolling in the streets of rome, cruising through the rivers of venice, breathing in the luxury of milan.
- Procuring the raw materials that are the foundation of italy's heritage & processing them into something that represents italy's rich culture.
- Wall texture are luxury wall textures inspired by the world class Italian stone ranges, giving your spaces striking feature walls, with seamless finishes.

PACKING : 1, 4, 10, 25, Kg.





CRACK FILL

FEATURE :

- CRACK FILL In place of Joints between concrete & brickwork
- Weather Resistant
- Joints between wooden and metal window frames to prevent dampness

PACKING

1 & 5 Kg PACKS

ROYAL SEAL +

JOINT FILLER

POLY SULPHITE FOR EXPANSION JOINTING

POLY SULPHITE Joint PS is two component joint sealant with excellent elasticity, used in expansion joints of all civil structures like building, bridges, dams etc.

PACKING

1,4,10,20 Ltr.



TAP CLEANER & STAIN REMOVER



ADVANTAGES

- Tap Cleaner is liquid cleaning solution.
- Removes water scale from C P Bath Fittings.
- Removes Rust from stainless steel sink.
- Removes rust, stains, oily & sticky substances* from all the surfaces of stainless steel, ceramic & sanitary wares.

USE FOR CLEANING

- Home care, hospital's, hotels & restaurants, resorts, corporate offices, shopping malls, machineries & industries.

PACKING

200ml / 500ml



CHIMNEY - CLEANER

CLEANERS

USE :

- Unplug the appliance
- Remove the filters & gently clean from inside
- Spray generously on the surface & wait for 5-10 mins
- Gently scrub to remove tough grease stains, wipe clean with dry cloth

ADVANTAGES :

- Spray & Shine
- All Kitchen Cleaner
- 100% Tough grease removal
- 100% oil free shine
- Exhaust fan Cleaner

PACKING : 200, 500 ml. Pack



ADVANCE TILE CLEANER



USE :

- Tile Cleaning
- Interior and exterior
- and floor application

ADVANTAGES :

- Easy to use
- Fast acting
- Interior and exterior
- Economical

PACKING

1 & 5 Ltr PACKS



GROUT & CEMENT CLEANER

CLEANERS

USE :

- Wall & Floor Tiles & Stone
- Laboratories
- Food processing plants
- Hospitals, abattoirs
- Kitchen and swimming pools etc.

ADVANTAGES :

- Easy Application
- Better Durability
- Rustproof
- Can be used for both interior and exterior uses
- Excellent resistance to acid and alkalis

PACKING : 200, 500 ml. Pack





BLOCK ADHESIVE

USE :

- Light weight block jointing mortar work
- Brick application mortar work

ADVANTAGES :

- High bonding strength
- High surface area coverage
- Helps to reduce shrinkage, cracks or shortness
- High thermal insulation properties
- Economical and easy to use

PACKING

20, 40 Kg BAG

R FIX 2 PART EPOXY

EPOXY 2 PART

FEATURE :

- Super strength epoxy adhesive

- Medium curing system

APPLICATION

- Fixing stones, marbles
- Grouting steel railings
- Stone mosaic
- Fixing jewel stones

MIXING RATIO

- 100:80 by weight
- 100:100 by volume

PACKING

450g, 900g, 1.8kg, 9kg





FIBER GLASS MESH

APPLICATION AREA

- Waterproofing Work
- Beam & Column Joints
- Areas With Thin Plaster
- Door & Windor Joints
- Plumbing & Electrical Work
- Chasing Areas

■ ADVANTAGES :

- Durable and Flexible
- Easy Embedment
- Easy in Installation
- Ready to Use

Easy to cut with knife or scissors

PACKING : 50, 100 mtr. Roll

HARDENER-339

FLOOR HARDNER

USE :

- Garages
- Aircraft hangers
- Helipad
- Car washing
- Loading areas
- Parking area
- Mechanical workshops
- Warehouse
- Assembly house for automobile industry

PACKING

40 Kg Bags





FOUNDATION GROUT

USE

- Free Flow
- High Strength
- Self Curing
- Good Flow & Level

COVERAGE

- For Industrial Heavy Duty Machinery Foundation
- Steel Structure Foundation
- Filling of Core Cutting Gap

PACKING

40Kg BAGS



INJECTION GROUT EPOX

INDUSTRIAL GROUTS

FEATURES & BENEFITS :

- Is Used to seal & Inject Cracks in Concrete floors, Walls & Structures
- It Provides deep penetration, Shrink free solid mass, strong bonding inside the cracks & excellent resistance to honey combing cracks

PACKING

11Kg PACK





PROTECTO WATER REPELLENT

APPLICATIONS

- Mineral plasters
- Mineral based natural stones
- Sand stones
- Cement fiberboard
- Concrete
- Brick works
- Asbestos Sheets & Gaskets

PACKAGING

1Kg, 5 Kg & 20Kg
Plastic Bottle & Carboy

HOW TO USE

PROTECTO emulsion contains a stabilized Silane Chemistry that are susceptible to hydrolysis. Hydrolysis occurs only after application to the substrate, which breaks the emulsion. Alcohol is released and the emulsion is converted into a silicone resin water repellent. It reduces the capillary absorption of the building which it has penetrated, but does not clog pore or capillaries. There is therefore little or no impairment of the building material's ability to "breathe".

PROTECTO is diluted with Water. We recommend the dilution ratio of 1: 5 to 1: 15, the exact figure depending on how absorbent the substrate is.

For adequate penetration on very high quality concrete, it may be necessary to dilute only 1: 2 TO 1:5

Apply the solution in the usual way; flooding is the preferred way. Two "wet on wet" coats are needed to ensure complete coverage.

USABLE LIFE AND STORAGE

When stored bellow 35°C away from direct Sun Light in the original unopened containers, PROTECTO has a usable life of 6 months from the date of manufacturing.

HANDLING PRECAUTIONS

Product safety information required for safe use is not included. Before handling, read Material Safety Data Sheets (MSDS) and container labels for safe use, physical and health hazard information.

FEATURES

- Excellent penetration in absorbent mineral building materials.
- Very good stain resistance.
- Fast curing hence imparts water repellence soon.
- Neutral in nature, no color change to the substrate.
- Provides excellent water repellency
- Easily dilutable by Water
- The pores and capillaries are not sealed and hence maintain breath ability while preventing water absorption.
- The coatings are UV stable and resistant to biological degradation.
- Water-based and environmentally compatible
- Reinforced concrete structures can be protected from water and waterborne salt that normally cause corrosion of reinforcing steel, deterioration and weathering. Normal abrasion resistance, surface appearance and most other desirable properties remain unchanged with PROTECTO

ADVANCE WATERPROOFING SOLUTIONS

- ◆ Integral
- ◆ Repair & WP Polymers
- ◆ Crack Filling
- ◆ Terrace & Wall Coating
- ◆ Polyurethane
- ◆ 2K Cementitious
- ◆ Cleaning Product
- ◆ Tile Grouts
- ◆ Tile Adhesives
- ◆ Sealants
- ◆ Clearcoats
- ◆ Epoxy Coatings
- ◆ Mortars
- ◆ Rust Removers



Royal Grip

Follow Us On



Mfg. By :
BHARDWAJ & SONS
Mktd By.:
BHARDWAJ & COMPANY

📍 **Shed No.18, Road No.11,
Gopal Charan-2 Estate,
Bakrol Bujrang, Ahmedabad-382430.**
✉ contact@royalgrip.in
🌐 royalgrip.in